

A survey of current pharmacological management of children and adolescents with heterozygous familial hypercholesterolaemia (hFH)

Please read the following questions and fill in the relevant boxes

Question 1: Do you treat young people below the age of 35 years old with heterozygous familial hypercholesterolaemia? *Please tick the relevant box*

YES	<input type="checkbox"/>	If YES please fill in FORM1B <i>(please see overleaf)</i>
NO	<input type="checkbox"/>	If No please answer question 2

Question 2: Who (physician(s)) treats young people in your area with heterozygous FH? *Please complete details below and return in enclosed SAE*

NAME:

ADDRESS:

A survey of current management of children and adolescents with heterozygous familial hypercholesterolaemia (hFH)

Question 1: Approximately how many hFH patients under the age of 16 years are you currently looking after ? Please fill in the box below

Question 2: Approximately how many hFH patients aged 16-35 are you currently looking after ? Please fill in the box below

Question 3: Do you ever treat your patients with lipid lowering drugs? Please tick the relevant box below

YES	<input type="checkbox"/>	<i>If yes please answer question 4</i>
NO	<input type="checkbox"/>	<i>If no please answer question 9</i>

Question 4: Which of the following lipid lowering drugs do you or would you like to use in treating heterozygous FH? Please tick the relevant box below

	I DO use	I would like to use
a) Bile acid sequestering agents	<input type="checkbox"/>	<input type="checkbox"/>
b) Fibrates	<input type="checkbox"/>	<input type="checkbox"/>
c) Statins	<input type="checkbox"/>	<input type="checkbox"/>
d) Ezetimibe	<input type="checkbox"/>	<input type="checkbox"/>

Question 5: At what age do you typically begin bile acid sequestering agent therapy in heterozygous FH? *Please tick the relevant box below*

MALE heterozygous FH? *Please tick the relevant box below*

AGE	bile acid sequestrant Colestid® Questran®	fibrate	Statins	Ezetimibe Ezetrol®
<10				
10-15				
16-20				
21-25				
26-30				
31-35				

FEMALE heterozygous FH? *Please tick the relevant box below*

AGE	bile acid sequestrant Colestid® Questran®	fibrate	Statins	Ezetimibe Ezetrol®
<10				
10-15				
16-20				
21-25				
26-30				
31-35				

Question 9: How regularly do you see your patients with heterozygous familial hypercholesterolaemia? *Please tick the relevant box below*

Regularity at which patients are seen	On lipid lowering drugs	Not on lipid lowering drug
<6 months		
Every 9 months		
Every 12 months		
Every 2 years		
Other <i>(if other please give details below)</i>		

Question 9: How regularly do you see your patients with heterozygous familial hypercholesterolaemia? *Please tick the relevant box below*

Regularity at which patients are seen	On lipid lowering drugs	Not on lipid lowering drug
<6 months		
Every 9 months		
Every 12 months		
Every 2 years		
Other <i>(if other please give details below)</i>		

Question 10 : What others treatment or attitude do you usually consider in the management of young HeFH patients ? *Enumerate*
